

Résumé du rapport intertek

Analyse des pastilles MPG caps de FFI

20 janvier 2007

<i>Produit</i>	<i>Unité</i>	<i>A blanc</i>	<i>Gelules</i>	<i>Pastille</i>
Cetane Number	[-]	54.0	54.0	53.9
Cetane Index	[-]	51.0	51.1	50.8
Density at 15°C	<i>Kg/m³</i>	840.5	840.5	840.5
Polycyclic Aromatique	% wt	3.0	3.1	2.8
Sulphur	mg/kg	18	19	18
Flashpoint P.M	°C	65.0	64.0	64.0
Contradson Carbon Res. on 10% res. mass	% masse	0.01	0.02	0.01
Ash content	% masse	0.002	0.001	<0.001
Water karl Fisher	mg/kg	50	50	50
Total Sediments	mg/kg	1	1	1
Copper Corrosion	[-]			
Oxidation Stability	<i>g/mⁿ</i>	1	2	3
Lubricity	micron	236	191	173
Viscosity at 40°C	<i>mm²/s</i>	2.710	2.71	2.712
Distillation at 760 mmHg				
Recovered at 250°C	% vol	34.2	33.7	34.5
Recovered at 350°C	% vol	92.2	92.0	93.3
95%	°C	362.3	363.6	356.8
Fatty Acide Methyl Ester	% vol	0.2	0.1	0.1
Cold Filter Plugging Point (CFPPP)	°C	-10	-11	-11
Solvent Yellow Marker content	mg /l	<0.05	<0.05	<0.05